Scrotal Hair Growth in Infancy
Julie S. Francis, M.D., and Rogelio H. Ruvalcaba, M.D. 389

Alopecia
Nathan Ginott, M.D. 390

Waardenburg Syndrome Associated with Congenital Melanocytic Nevus
Sandipan Dhar, M.D., D.N.B., and Amrinder J. Kanwar, M.D. 391

Trichonodosis
Wen-Yuan Zhu, M.D., and Ming-Yu Xia, M.D. 392

Bullous Lichen Planus
Sanjeev Handa, M.D., and Amrinder J. Kanwar, M.D. 393

NEWS AND NOTICES 395

ABSTRACTS OF THE FOURTH MEETING OF THE SPANISH PEDIATRIC DERMATOLOGY GROUP 396

REVIEWER ACKNOWLEDGMENT 402

CONTENTS OF VOLUME 10 403

INDEXES TO VOLUME 10 412

GUIDELINES FOR AUTHORS ..... Inside Back Cover

Subject Index, Volume 10 1993

Accessory nipples, and urinary tract malformation, 300–301(c)
Accessory tragi, isolated, familial occurrence of, 26–28
Acromial dimples, bilateral, 16–18
Acrosyringium, of harlequin fetus, 219
Acute febrile neutrophilic dermatosis in childhood, 298–299(c)
Acute lymphoblastic leukemia, with dermatomyositis, 199–200(c)
Adenoma sebaceum, differential diagnosis, 357
AEC syndrome, 334–339
Aeroallergens, patch testing, eczematous skin reaction from, 209–212
Aggressive fibromatosis. *See* Musculoaponeurotic fibromatosis
Albright hereditary osteodystrophy (AHO), 183
Alopecia
  after cardiac surgery, 32–33
  in children, 390–391(c)
  differential diagnosis, 31
  in encephalocraniocutaneous lipomatosis, 167
  thallium toxicity and, 29–31
Alopecia universalis with trachyonychia, in Down syndrome, 187–188
Amebiasis, cutaneous, 352–355
Amino acid deficiencies, in trichothiodystrophy, 121
Amniocentesis, dimplelike scars after, 17–18
Anagen effluvium, associated conditions, 31
Androgen hypersensitivity, scrotal hair growth and, 35
Angioma, lumbar cutaneous, 152
Angoid streaks, 22
Ankyloblepharon filiforme adnatum, 334, 339
Annulare centrifugum of Darier, 48
Annular erythema, persistent, of infancy, 46–48
Annular pancreas, with Rothmund-Thomson syndrome and duodenal stenosis, 159–163
Arterial embolization, for hemangiomas, 318
Arteriography
  of craniofacial vascular malformations, 324
  of hemangiomas, 314
Arteriovenous malformation, 327–329
Arthus pattern, in erythema elevatum diutinum, 127

Atopic dermatitis, patch testing with aeroallergens in, 209–212
Atopy, patch testing with aeroallergens in, 209–212
Australian NHMRC Twin Registry, 297(c)
Autoimmune disease, celiac disease and, 127–128

Basal cell carcinoma, incidence, 81
Becker's melanosis, 143–144
Behcet disease, differential diagnosis, 257–258
Benign cephalic histocytosis, 195–196
Berry hemangioma, congenital, 343
BIDS syndrome. *See* Trichothiodystrophy
Blaschko lines, skin lesions following, 156, 158
Blistering distal dactylitis, 261
Bloch-Sulzberger incontinentia pigmenti, 158
Bloom syndrome
  differential diagnosis, 161
  sacral dimples in, 17
Bone abnormalities
  in musculoaponeurotic fibromatosis, 50–52
  in Rothmund-Thomson syndrome, 161
Bullous lichen planus, 393–394(c)
Buschke-Ollendorff syndrome, 85–87

Café au lait spots, in segmental neurofibromatosis, 43–45
Caffey disease, 280
Caffey-Silverman syndrome, 280
Calcinosis cutis, 89
Calcium, dietary, juvenile pseudoxanthoma elasticum and, 23
Camptomelic dwarfism, 17
Capillary-lymphatic malformation, 312
Capillary malformation, 312, 320–322. *See also* Port-wine stain (PWS)
Capillary-venous malformation, 312
Carbon dioxide laser therapy, for linear nevus sebaceous of Jadassohn, 189
Cardiac surgery, postoperative alopecia, 32–33
Carpenter syndrome, 17
Cataracts, in Rothmund-Thomson syndrome, 161
Celiac disease, erythema elevatum diutinum and, 125–128
Cellulitis, 261
Centrofacial milia-like eruption, 385–386
Cerebral alterations, in encephalocraniocutaneous lipomatosis, 167
CHANDS syndrome, 339
Chemotherapy, for congenital/infantile tumors, 269
Childhood dermatitis herpetiformis, 175
CHILD syndrome, 221
Christ-Siemens-Touraine syndrome, 339
Chromosomal deletion, in mental retardation with piebaldism, 235–238. *See also specific deletion syndromes*
Chronic bullous disease of childhood, ulcerative colitis and, 256–258
Chronic recurrent multifocal osteomyelitis (CRMO), 280–281
Cleft palate, in AEC syndrome, 334
Coagulation profile, for craniofacial vascular malformations, 324
Cocaine, fetal exposure, 18
Cockayne syndrome, 161
Computed tomography
  of craniofacial vascular malformations, 324
  of hemangiomas, 314
  of Sturge-Weber syndrome, 321
Condyloma acuminatum, childhood, 101–106
Congenital disorders. *See specific disorders*
Congenital malformation syndromes
  with annular pancreas, 160
  with dimples, 17
Cortical hyperostosis, infantile, 280
Corticosteroids, for hemangiomas, 315, 317
Cosmetic product misunderstandings, cutaneous manifestations, 286–287
Cradle cap eczema, 339
Craniofacial vascular malformations, 323–324
CRMO (chronic recurrent multifocal osteomyelitis), 280–281
Cronkhite-Canada syndrome, 350
Crown of jewels, in linear IgA bullous dermatosis, 174
Cryotherapy, for dermatosis papulosa nigra, 357
Cutaneous depressions, bilateral, on shoulders, 16–18

Dandy-Walker anomaly, 314
Darier disease, localized vulvar, 146–148
4p Deletion syndrome, 17
18q Deletion syndrome, 17
Dense cored granules (DCG), in harlequin fetuses, 216–222
Dermatofibrosarcoma protuberans, congenital, 40–42
Dermatofibrosis lenticularis disseminata, 86
Dermatomyositis, with acute lymphoblastic leukemia, 199–200(c)
Dermatophyte infection, with pigmenting pityriasis alba, 2–3
Dermatosis papulosa nigra, 336–337
Dermoid cyst, connected with lacrimal canaliculum, 69–70
Desmoid tumor. *See* Musculoaponeurotic fibromatosis
Desmoma. *See* Musculoaponeurotic fibromatosis
Diaper dermatitis, of *Trichophyton verrucosum,* 368–369
Diastomyelia, 17
Diffuse cutaneous mastocytosis, 301–302(c)
Down syndrome, with alopecia universalis and trachyonychia, 187–188
Dubowitz syndrome, 17
Duodenal stenosis, with Rothmund-Thomson syndrome and annular pancreas, 159–163

Dyskeratosis congenita
pigmentary changes, 350
vs. graft versus-host disease, 362–365

Eccrine angiomatous hamartomas, differential diagnosis, 343
Eccrine sweat glands, congenital hemangiomas of, 341–343
Ectodermal defects, with monilethrix, 193
Ectodermal dysplasias
AEC syndrome, 334–339
characteristics, 338
Rapp-Hodgkin syndrome, 54–56
Eczematous skin reaction, from patch testing, 209–212
EEC syndrome, 298(c)
Electron microscopic studies, of harlequin fetuses, 214–222
EMLA cream, for pulsed dye laser anesthesia, 370–375
Encephalocraniocutaneous lipomatosis, 164–168
Entamoeba histolytica infection
cutaneous involvement by, 352–354
global incidence, 354
Eosinophilic pustular folliculitis, infantile, 292–294
Epidermal acanthosis, in dermatosis papulosa nigra, 337
Epidermal nevus, 158
Epidermolysis bullosa simplex (EBS), 298(c)
Eruptive syringoma, 91(c)
Eruptive xanthoma, differential diagnosis, 140
Erythema annulare centrifugum, 47
Erythema elevatum diutinum, celiac disease and, 125–128
Erythema gyratum perstans, 47
Erythema multiforme, 48
Erythemas, figurate, 47
Erythrogenic toxin, acute guttate psoriasis and, 389(c)
Erythromycin, for perianal streptococcal dermatitis, 297(c)
Etretinate, for Olmsted syndrome, 376–380
Eumelanin, 206
Eumelanogenesis selective suppression, nevus depigmentosus systematicus and, 205–208
Extraabdominal desmoid tumor, with idiopathic multicentric osteolysis, 49–53

Facial features, in Rothmund-Thomson syndrome, 161
Familial benign pemphigus, 148
Familial cutaneous amyloidosis, vs. X-linked reticulate pigmentary disorder, 344–350
Febrile neutrophilic dermatosis in childhood, acute, 298–299(c)
FEH. *See* Focal epithelial hyperplasia
Fetal death rate, in pemphigus neonatorum, 170
Fibrohistiocytic proliferations, congenital, congenital, 41. *See also* Dermatofibrosarcoma protuberans
Fibromatoses
characteristics, 49
infantile, 41
musculoaponeurotic, with idiopathic multicentric osteolysis, 49–53
superficial vs. deep, 51
Fibrosarcomas. *See* Musculoaponeurotic fibromatosis
Fibrous hamarotoma of infancy, 41
Flashlamp-pumped dye laser therapy
failure to prevent hemangioma progression, 77–80
for hemangioma, 71–75, 319
Flexion deformity, in Olmsted syndrome, 376, 377, 379
Focal epithelial hyperplasia (FEH), 245–249
human papillomavirus type 13 and, 240–243
Follicular hamartomas, differential diagnosis, 357

Gardner syndrome, 386
Gastrointestinal manifestations, in Rothmund-Thomson syndrome, 161
Generalized pustular psoriasis, with lytic bone lesions, 277–281
Genetics, of juvenile pseudoxanthoma elasticum, 19–21
Genital hair growth, in infants, 34–35
Genital human papillomaviruses, childhood condyloma acuminatum and, 101–106
Genital lichen sclerosis et atrophica, topical progesterone for, 201(c)
Giannotti-Crosti syndrome, 134
Giant cell fibroblastoma, 41
Giant mast cell granules, in solitary mastocytoma, 12–15
Gigantism, with complex and combined vascular malformations, 330–331
Gingival fibromatosis, vs. hypertrichosis universalis congenita, 265
Glaucoma, port-wine stain and, 321
Gluten-free diet, erythema elevatum diutinum and, 125–128
Goldenhar syndrome, accessory tragi and, 27
Graft-versus-host disease
vs. dyskeratosis congenita, 362–365
vs. lichen planus, 134–135
Granular tumor, of vulva, 153–154
Group A β-hemolytic streptococci infection
acute guttate psoriasis after, 388–389(c)
carriers, 260
in vulvovaginitis, 366–367
Group B streptococci, neonatal cellulitis-adenitis, 58–60
Grover disease, 148
Guttate psoriasis, after streptococcal scarlet fever, 388–389(c)

Haemophilus influenzae type B infection, differential diagnosis, 59
Hair abnormalities
in Rapp-Hodgkin ectodermal dysplasia syndrome, 56
in trichothiodystrophy, 111–116

Hallerman-Streiff syndrome, 161
Hamaratomas
  benign pigmented apocrine vulvar, 123–124
  congenital smooth muscle, of skin, 142–144
Harlequin fetuses, electron microscopic studies, 214–222
Hay-Wells syndrome, 334
Heck disease, 245–249
  human papillomavirus type 13 and, 240–243
HELLP syndrome, 177–180
Hemangiomas
  classification, 311–312
  clinical course, 313
  complications, 315
  congenital, of eccrine sweat glands, 341–343
  diagnosis, 313–314
  laser therapy, failure to prevent progression, 77–80
  laser therapy with interferon alfa-2a, 71–75
  with sternal atresia and supraumbilical midabdominal raphe, 71–75
  treatment, 84, 314–319
Hemangiopericytoma, congenital, 267–270
Hidradenoma, eruptive, 91(c)
Histiocytosis X, chronic progressive form, 141
Human leukocyte antigen B8, in linear IgA bullous dermatosis, 174
Human papillomaviruses
  childhood condyloma acuminatum and, 101–106
  type 13, Heck disease and, 240–243
Hypercalcemia, subcutaneous fat necrosis of the newborn and, 271–275
Hypertrichosis universalis congenita, 263–266
Hypogonadism, in Rothmund-Thomson syndrome, 161
Hypohydrosis, 350
Hypothyroidism, congenital, cutaneous marmorata telangiectatica congenita and, 6–9

IBIDIS syndrome, 111, 115. *See also* Trichothiodystrophy
Ichthyosis
  harlequin, 214–222
  in trichothiodystrophy, 115
Idiopathic multicentric osteolysis, with musculoaponeurotic fibromatosis, 49–53
Immunocompromised patients, scabies of scalp, mimicking seborrheic dermatitis, 136–137
Immunoglobulin E, in pigmenting pityriasis alba, 3
Immunohistochemical study, of papular xanthoma, 139–141
Impetigo, 260
Incontinentia pigmenti achromians, 208
Interferon α_2, for hemangiomas, 316, 317–318
Interferon alfa-2a (Roferon-A), for hemangioma, 71–75, 84
Intradermal skin tests, with aeroallergens in atopic dermatitis, 209–212

Juvenile pseudoxanthoma elasticum
  acquired, 23–24
  case report, 19
  characteristics, 21–22
  genetics, 19–21
  histology, 22–23
  pathogenesis, 22–23
  subtypes, 21
  treatment, 24
Juvenile xanthogranulomas
  with central nervous system involvement, 64–68
  differential diagnosis, 196
  micronodular form, 140–141
  multiple, without foam cells and giant cells, 61–62

Kasabach-Merritt syndrome, 315, 318
Keratin protein, in Olmsted syndrome, 378, 379
Keratosis follicularis, localized vulvar, 146–148
Kindler-Weary syndrome, 350
Klippel-Trenaunay syndrome, 322, 330–331
Koebner phenomenon, 389(c)

Lacrimal canaliculum, dermoid cyst connected with, 69–70
Langer-Giedion syndrome, 383
Leprosy, simulation by trichoepitheliomous infiltration, 252–254
Leucotrichia, in nevus depigmentosus, 198–199(c)
Leukemia, acute lymphoblastic, with dermatomyositis, 199–200(c)
Leukoplakia, in dyskeratosis congenita, 364
Lichenoid melanodermatitis
  vs. pigmenting pityriasis alba, 4–5
  vs. pityriasis alba, 4–5
Lichen planus
  bullous, 393–394(c)
  in children, 132–135
  differential diagnosis, 360
  of nails, in childhood, 36–39
Lichen sclerosis et atrophica, genital, topical progesterone for, 201(c)
Lichen sclerosus et atrophicus, penile purpura of, 129–131
Lichen striatus, onychodystrophy in, 359–361
Lidocaine, for pulsed dye laser treatment of vascular malformations, 370–375
Limbs
  gigantism with complex and combined vascular malformations, 330–331
  vascular malformations, 324–325
Linear epidermal nevus, differential diagnosis, 360–361
Linear IgA bullous dermatosis, in neonate, 171–175
Linear morphea of childhood, d-penicillamine for, 201–202(c)
Linear nevus sebaceous of Jadassohn, carbon dioxide laser therapy for, 189

Lipoid proteinosis, vs. infantile systemic hyalinosis, 388(c)
Lipomas
  congenital lumbosacral, occult spinal dygraphism and, 151
  occult spinal dysraphism and, 151–152
Ludwig angina, 59
Lumbosacral congenital cutaneous lesions, 149–152
Lupus erythematosus, infantile, 47, 48, 177–179
Lyme disease, 47
Lymphatic malformation, 312, 325–327

Macrocytic lymphatic malformations, 326–327
Magnetic resonance imaging
  of arteriovenous malformation, 328
  of craniofacial vascular malformations, 324
  of hemangiomas, 314, 316
  of limb vascular malformations, 324–325
  of Sturge-Weber syndrome, 321
Mandibulofacial dysostosis, accessory tragi and, 27
Marinesco-Sjögren syndrome, trichothiodystrophy and, 120, 121
Marmorata telangiectatica congenita, cutaneous, 6–9
Mastocytoma, solitary, giant mast cell granules in, 12–15
Mastocytosis, solitary form, with giant mast cell granules, 12–15
Melanocytic nevus, congenital, with Waardenburg syndrome, 391–392(c)
Melanoma, sunlight and, 81–82
Mental retardation
  with piebaldism and chromosomal deletion, 235–238
  in Rothmund-Thomson syndrome, 161
Methotrexate, for generalized pustular psoriasis, 280
Microcytic lymphatic malformations, 326–327
Monilethrix syndrome, 192–194
Mucopolysaccharides, juvenile pseudoxanthoma elasticum and, 23
Multicentric osteolysis, idiopathic, with musculoaponeurotic fibromatosis, 49–53
Multiple juvenile xanthogranulomas, without foam cells and giant cells, 61–62
Musculoaponeurotic fibromatosis, with idiopathic multicentric osteolysis, 49–53
Mutilating palmoplantar keratoderma, etretinate for, 376–380
Myofibromatosis, infantile, 41

Naegeli-Franeschetti-Jadassohn syndrome, 350
Nail abnormalities of lichen planus, in childhood, 36–39
Nail dystrophy, in dyskeratosis congenita, 364
Neonatal group B streptococci cellulitis-adenitis, 58–60
Netherton syndrome, 193
Neurofibromatosis
  type 1, piebaldism and, 288
  type V, with only macular lesions, 43–45
Neurologic symptoms, in encephalocraniocutaneous lipomatosis, 167–168
Nevi
  early-onset, 198(c)
  scrotal hair growth and, 35
Nevoid hypermelanosis, linear and whorled, 156–158
Nevoid hypertrichosis, scrotal hair growth and, 35
Nevus depigmentosus
  in India, 299–300(c)
  leucotrichia in, 198–199(c)
  systematicus, with partial yellow scalp hair, 205–208
Nodular calcification, solitary congenital, 888–89
Nodular prurigo, in child, 200–201(c)
Nodules, solitary congenital on infant ear, 88–89

Occult spinal dysraphism, 149–152
Ocular manifestations
  in encephalocraniocutaneous lipomatosis, 167
  in juvenile pseudoxanthoma elasticum, 21–22
Oculoauriculovertebral syndrome, accessory tragi and, 27
Olmsted syndrome, etretinate for, 376–380
Onychodystrophy, in lichen striatus, 359–361
Ossification, cutaneous, causes, 184
Osteoma cutis
  congenital platelike, 182–185
  types, 183–184
Ozone depletion, impact on skin, 81–82

Palmoplantar and periorificial keratoderma, congenital, 376–380
Papillomatosis, in dermatosis papulosa nigra, 337
Papular eruption, persistent, in infant, 195–196
Papular xanthoma, in children, 139–141
Parakeratosis, in dermatosis papulosa nigra, 357
Parkes-Weber syndrome, 322, 330–331
Particle-containing cored granules, in harlequin fetuses, 216–222
Patch testing, of aeroallergens, eczematous skin reaction from, 209–212
Pemphigus neonatorum, 169–170
Penile purpura, in lichen sclerosus et atrophicus, 129–131
Perianal dermatitis, *staphylococcus aureus* and, 259–261
Perianal streptococcal dermatitis, topical erythromycin for, 297(c)
Pheomelanic congenital macular depigmentation, 207
Pheomelanin, 206
PIBIDIS syndrome. *See* Trichothiodystrophy
Piebaldism
  in mental retardation with chromosomal deletion, 235–238
  with neurofibromatosis-1, 224–233
  neurofibromatosis 1 and, 288
  phenotypes, hetereogeneity of, 231–232

Pigmenting pityriasis alba, 1–5
  vs. pityriasis alba, 4–5
Pili canaliculi, in Rapp-Hodgkin syndrome, 54–56
Pilomatricoma
  multiple eruptive, 385–386
  solitary, 386
Pityriasis alba, vs. pigmenting pityriasis alba, 4–5
Port-wine stain (PWS)
  glaucoma and, 321
  lumbosacral, 318, 320
  treatment, 320
  variants, 318, 321
Positron-emission tomography (PET), of Sturge-Weber syndrome, 321
Postoperative alopecia, 32–33
Pregnancy
  complications, in HELLP syndrome, 177–180
  pseudoxanthoma elasticum and, 24
Pressure alopecia, in children, 390–391(c)
Progesterone, topical, for genital lichen sclerosis et atrophica, 201(c)
Progressive nodular histiocytoma, differential diagnosis, 67–68
Proteus syndrome, 322, 330, 331
Pruritic pustular eruption, in infant, 292–294
Pseudo-Darier sign, 143
Pseudo-Kaposi sarcoma, in arteriovenous malformation, 328
Pseudomonilethrix, 193, 254
Pseudo-port wine stain, 329
Pseudoxanthoma elasticum, juvenile. *See* Juvenile pseudoxanthoma elasticum
Psychosocial problems, hemangiomas and, 319
Pulsed dye laser therapy
  for hemangioma treatment, 84
  of vascular malformations, topical lidocaine for, 370–375
PWS. *See* Port wine stain (PWS)

Radiation therapy, for musculoaponeurotic fibromatosis, 52
Rapp-Hodgkin ectodermal dysplasia syndrome, with pili canaliculi, 54–56
Recurrent giant aphthous ulcers, thalidomide for, 283–284
Reticulate hyperpigmentation, in dyskeratosis congenita, 364
Reticulate pigmentary disorder, X-linked, with systemic manifestations, 344–350
Robinow syndrome, 17
Roferon-A (interferon alfa-2a), for hemangiomas, 71–75, 84
Rothmund-Thomson syndrome
  with annular pancreas and duodenal stenosis, 159–163
  differential diagnosis, 160–161
  giant mast cell granules in, 14
  pigmentary changes, 350
Rubella, congenital, 17
Russell Silver dwarfism, 17

Sacral dimples, 17
Salmon spots, 22
Sarcoptes scabiei var. *hominis*, 136–137
Scabies, of scalp, mimicking seborrheic dermatitis, 136–137
Scalp infections, in AEC syndrome, 334–339
Scarlet fever, 261
Sclerotherapy
  for craniofacial vascular malformations, 324
  for macrocytic lymphatic malformations, 326, 327
Scrotal hair growth
  in infancy, 389–390(c)
  nonprogressive, in infants, 34–35
Seborrheic dermatitis, mimicked by scabies of scalp, 136–137
Segmental neurofibromatosis, with only macular lesions, 43–45
Self-healing reticulohistiocytosis, 196
Serologic testing, of erythemas of infancy, 47
Sexual abuse, lichen sclerosus et atrophicus and, 131
Shoulder dimples, bilateral, 16–18
SIBIDIS syndrome, trichothiodystrophy and, 117–121
Single-photon-emission computed tomography (SPECT), of Sturge-Weber syndrome, 321
Sjögren-Larsson syndrome, 289–291
Skin cancer, incidence, 81
Skin dimples, 16–18
Skin erosions, in AEC syndrome, 334–339
Smith-Lenli-Opitz syndrome, 17
Smoking, pseudoxanthoma elasticum and, 24
Smooth muscle hamaratomas, of skin, 142–144
Smythe syndrome, 280
Spina bifida occulata, 17
Spindle cell neoplasms, vs. hemangiopericytoma, 269
Squamous cell carcinoma, incidence, 81
Staphylococcal scarlatina, 261
Staphylococcus aureus, perianal dermatitis and, 259–261
Sternal atresia, with supraumbilical midabdominal raphe and hemangioma, 71–75
Steroids. *See also* Corticosteroids
  for generalized pustular psoriasis, 279–280
  for lichen planus, 38–39
Stevens-Johnson syndrome, differential diagnosis, 257–258
Stomatitis, recurrent aphthous thalidomide for, 282–284
Streptococcal vulvovaginitis, in girls, 366–367
Streptococcus pyogenes infections, 261
Sturge-Weber syndrome
  brain anomaly in, 321
  capillary malformations, 319, 320
Subcutaneous fat necrosis of the newborn, hypercalcemia and, 271–275

Subepidermal calcified nodule, 88–89
Sunlight, melanoma pathogenesis and, 81
Sunscreens, ozone depletion and, 82
Supraumbilical midabdominal raphe, with sternal atresia and hemangioma, 71–75
Surgical excision, for hemangioma, 319
Sweet syndrome, 298–299(c)
Syringoma, eruptive, 91(c)
Systemic hyalinosis, infantile, vs. lipoid proteinosis, 388(c)

Tay syndrome, 111, 115. *See also* Trichothiodystrophy
Testosterone, scrotal hair growth in infancy and, 389–390(c)
Tethered cord syndrome, 151
Thalidomide, for recurrent giant aphthous ulcers, 283–284
Thallium toxicity, acute alopecia and, 29–31
Tinea capitis, atypical features in newborns, 92(c)
Toxic shock syndrome, 260–261
Toxins, staphylococcal, 260
Trachyonychia, with alopecia universalis, in Down syndrome, 187–188
Transient acantholytic dermatosis, 148
Treacher Collins syndrome, accessory tragi and, 27
Trichoepitheliomas, infiltration, simulation of leprosy, 252–254
Trichonodosis, 392–393(c)
Trichophyton verrucosum, diaper dermatitis, 368–369
Trichorhinophalangeal syndrome (TRP syndrome), 382–383
Trichothiodystrophy
  associated anomalies and, 117–121
  symptom complexes, 120
  ultrastructural studies, 111–116
Trisomy 9p syndrome, 17
TRP syndrome (trichorhinophalangeal syndrome), 382–383
TSST-1, 2600–261
Type II TRP syndrome, 383

Ulceration, of hemangiomas, 315
Ulcerative colitis, chronic bullous disease of childhood and, 256–258
Ultrasonography, of hemangiomas, 314
Ultraviolet radiation
  carcinogenic effects, 81–82
  ozone depletion and, 81–82
Urinary tract malformation, and accessory nipples, 300–301(c)
Urticaria, in children, 107–109

Vascular birthmarks
  classification, 311–312
  hemangiomas. *See* Hemangiomas
  multidisciplinary approach, 331–332
  vascular malformations. *See* Vascular malformations
Vascular findings, in juvenile pseudoxanthoma elasticum, 22
Vascular malformations
  arteriovenous, 327–329
  capillary, 320–322
  classification, 312
  complex combined, 312, 330–331
  craniofacial, 323–324
  differential diagnosis, 343
  of limbs, 324–325
  lymphatic, 325–327
  pulsed dye laser treatment, topical lidocaine for, 370–375
  venous, 322
Venous malformations, 312, 322
Viral etiology, of lichen planus, 134
Vitamin D sensitivity, hypercalcemia in subcutaneous fat necrosis of the newborn and, 271–275
Vitiligo, 229
Vulva
  benign pigmented apocrine hamaratomas of, 123–124
  granular tumor of, 153–154
Vulvovaginitis, streptococcal, 366–367

Waardenburg syndrome, 229
  with congenital melanocytic nevus, 391–392(c)
Werner syndrome, differential diagnosis, 161
Winer's nodular calcinosis, 88–89
Woolf syndrome, 229

Xanthogranulomas, juvenile. *See* Juvenile xanthogranulomas
Xanthoma disseminatum, 140
X-linked reticulate pigmentary disorder, with systemic manifestations, 344–350

Yellow scalp hair, with nevus depigmentosus systematicus, 205–208

Author Index, Volume 10, 1993

Adés, L. C., 344–351
Adhami, Z., 366–367
Adler-Storthz, K., 245–251
Alegre, V., 64–68, 182–186
Alexander, J., 271–276
Aliaga, A., 64–68, 125–128, 182–186, 201 (c), 382–384
Alvarez, J., 156–158
Amorosi, B., 111–116
Angelo, C., 297–298 (c)
Annessi, G., 40–42
Arista-Viveros, A., 352–355
Ashinoff, R., 77–80, 189–191
Atherton, D. J., 388 (c)
Avinoach, I., 169–170
Azaz, B., 169–170

Babapour, R., 356–358
Baden, L., 177–181
Bangert, J., 123–124
Barton, L. L., 58–60
Barton, P. G., 129–131
Bass, J., 46–48
Baudraz-Rosselet, F., 368–369
Beers, B. B., 19–25, 129–131
Ben-Amitai, D., 32–33
Bergfeld, W. F., 46–48
Bingham, A., 256–258
Blaustein, H. S., 159–163
Blei, F., 71–76
Botella-Estrada, R., 64–68, 182–186
Boucheron, S., 61–63
Brancaleone, W., 283–285
Brauner, I., 286–287
Breed, A. S. P. M., 235–239
Brusasco, A., 26–28

Calvieri, S., 43–45, 111–116
Camacho, F., 54–57
Cambiaghi, S., 26–28, 298 (c)
Cameli, N., 36–39
Caputo, R., 164–168
Carney, S., 289–291
Cavicchini, S., 164–168
Chang, L. W., 46–48
Chang, T., 224–234
Chiesa, C., 388–389 (c)
Cianchini, G., 297–298 (c)
Cimitan, A., 40–42
Claudy, A. L., 61–63
Cohen, B. A., 359–361
Cohen, P. R., 245–251
Conti, G., 297–298 (c)
Contreras, F., 139–141
Cook, W. J., 49–53
Corazza, M., 92 (c)
Cottoni, F., 132–135
Croci, S., 283–285
Cuevas, J., 139–141

Daniel Su, W. P., 142–145
De Dobbeleer, G., 214–223
de la Luz Orozco, M., 136–138
De la Luz Orozco-Covarrubias, M., 69–70, 252–255
Demidovich, C. W., III, 187–188
Despontin, K., 192–194
Dhar, S., 198–199 (c), 200–201 (c), 201–202 (c), 299–300 (c), 301–302 (c), 391–392 (c)
Dhar, V., 366–367
Dijkhuis-Stoffelsma, R., 235–239
Dodge, J., 256–258
Drut, R., 341–343
Duran, C., 136–138
Duran-McKinster, C., 69–70, 252–255
Du Toit, M. J., 1–5

Ena, P., 132–135
Enjolras, O., 311–333
Ermacora, E., 164–168
Esterly, N. B., 34–35, 88–90

Favre, M., 101–106, 240–244
Febrer, I., 125–128
Feldman, J., 29–31
Ferrando, J., 54–57
Fitzgibbons, J., 171–176
Flaitz, C. M., 271–276
Flowers, F. P., 19–25
Fonseca, E., 139–141
Ford, M. J., 129–131
Fortea, J. M., 125–128, 201 (c)
Francis, J. S., 389–390 (c)
Franz, T. J., 370–375
Frenk, E., 368–369
Fukai, K., 205–208

Gagné, E. J., 142–145
Garen, P. D., 49–53
Garty, B. Z., 32–33
Gellis, S. E., 177–181
Geronemus, R. G., 71–76, 77–80
Ghosh, S., 107–110, 198–199 (c), 200–201 (c)
Giannetti, A., 40–42
Ginott, N., 390–391 (c)
Girolomoni, G., 40–42
Giustini, S., 43–45, 111–116

Glover, M. T., 388 (c)
Grant-Kels, J. M., 81–83, 277–282
Grau, M., 64–68, 201 (c)
Grimalt, R., 164–168
Grin-Jorgensen, C. M., 277–282
Gross, R. H., 49–53
Grossman, M. E., 16–18, 159–163
Grunwald, M. H., 169–170
Guenther, L., 153–155

Hacker, S. M., 19–25
Halevy, S., 169–170
Hamada, T., 205–208
Handa, S., 393–394 (c)
Handley, J., 256–258
Hansen, K. K., 88–90
Hansen, R. C., 123–124
Harousseau, J. L., 199–200 (c)
Hashimoto, K., 214–223, 224–234
Hayashi, K., 376–381
Hebert, A., 245–251
Heilman, E. R., 292–294
Helm, T. N., 46–48
Hersh, J. H., 117–122
Hicks, M. J., 271–276
Hogan, P. A., 195–197
Holcberg, G., 169–170
Hopper, J. L., 297 (c)
Hordinsky, M. K., 117–122
Hoss, D. M., 277–282
Hruza, L. L., 171–176
Huiprasert, P., 209–213
Hyzer, R., 117–122

Ichihashi, M., 376–381
Im, S. B., 263–266
Imondi, D., 283–285
Innocenzi, D., 111–116
Ishii, M., 205–208
Ito, S., 205–208
Ivker, R. A., 277–282, 362–365

Jablonska, S., 101–106, 240–244
James, W. D., 2259–262
Janniger, C., 240–244
Jimbow, K., 146–148
Jones, G., 267–270
Jordaan, H. F., 1–5
Jorquera, E., 54–57
Joyce, M. R., 117–122

Kadoya, A., 205–208
Kanwar, A., 107–110, 299–300 (c)
Kanwar, A. J., 198–199 (c), 200–201 (c), 201–202 (c), 301–302 (c), 391–392 (c), 393–394 (c)
Kanzaki, T., 214–223
Karp, D. L., 359–361
Katz, M., 169–170
Kaur, S., 107–110, 201–202 (c), 299–300 (c)
Kawai, S., 12–15
Kibarian, M. A., 289–291
Kim, D.-K., 263–266
Klein, L. R., 117–122
Koransky, J. S., 385–387
Krafchik, B., 192–194
Kristoffersson, U., 235–239
Krol, A., 146–148

Lacey, S., 267–270
Lake, B. D., 388 (c)
Laude, T. A., 292–294
Leach, J., 356–358
Lee, I. J., 263–266
Lehman, P. A., 370–375
Lembo, D., 43–45
Leung, A. K. C., 300–301 (c)
Levishohn, D. R., 29–31
Levy, H., 356–358
Levy, M. L., 271–276
Ljung, R., 235–239
Lyon, N., 177–181

McGrae, J. D., Jr., 24–234
McKenzie, S., 366–367
Magaña-García, M., 352–355
Makagawa, K., 376–381
Maleville, J., 298–299 (c)
Mallory, G. B., Jr., 171–176
Mallory, S. B., 171–176, 289–291, 370–375
Mancarella, A., 368–369
Martinez-Aparicio, A., 182–186
Mas, C., 64–68
Mechinaud, F., 199–200 (c)
Menni, S., 283–285, 286–287
Micali, G., 43–45, 111–116
Millán, F., 201 (c)
Millot, F., 199–200 (c)
Misery, L., 61–63
Misiewicz, J., 101–106
Mistura, L., 164–168
Monod, M., 368–369
Montemarano, A. D., 259–262
Montesu, M. A., 132–135
Morelli, J. G., 84, 195–197
Moroz, B., 6–11
Mulliken, J. B., 311–333
Mussini, J. M., 199–200 (c)

Norton, S. A., 187–188

Obalek, S., 101–106, 240–244
Okamoto, H., 12–15

Onorato, J., 292–294
Orlow, S. J., 71–76
Orth, G., 101–106, 240–244

Pacifico, L., 388–389 (c)
Pai, G. S., 49–53
Paller, A., 117–122
Paradisi, M., 297–298 (c)
Parker, R. K., 91–92 (c)
Paton, S., 177–181
Pehr, K., 6–11
Peluso, A. M., 36–39
Perez, A., 125–128, 382–384
Peteiro, C., 156–158
Pichardo, A. R., 54–57
Piraccini, B. M., 36–39
Pongprasit, P., 209–213
Puddu, P., 297–298 (c)

Quintanilla, E., 149–152

Ramos-Caro, F. A., 19–25
Ramsey, R. A., 58–60
Ranalletta, M., 341–343
Raque, C. J., 91–92 (c)
Raval, D. S., 58–60
Renzi, A. M., 388–389 (c)
Resnick, S. D., 267–270, 362–365
Ribes, C., 125–128
Riccardi, V. M., 288
Rizzo, R., 111–116
Robson, W. L. M., 300–301
Rodriguez-Serna, M., 125–128, 382–384
Rogers, M., 355–351
Roker, K., 366–367
Rondanini, G. F., 164–168
Rositto, A., 341–343
Rossi, B., 111–116
Ruffieux, Ph., 368–369
Ruiz-Maldonado, R., 69–70, 136–138, 252–255
Russo, G., 164–168
Ruvalcaba, R. H., 389–390 (c)

Sahn, E. E., 49–53
Salazar-Leon, J. A., 69–70
Salopek, T. G., 146–148
Sanmartín, O., 64–68
Sanmartín, O., 182–186
Scarabelli, G., 26–28
Schneiderman, P. I., 16–18
Segura, A. D., 88–90
Serna, M. J., 149–152
Serrano, G., 201 (c), 382–384
Serre, D., 61–63
Shields, M., 256–258
Shimizu, R., 376–381
Shum, D., 153–155
Siegfried, E. C., 85–87
Sijmons, R. H., 235–239
Sillence, D. O., 344–351
Slyper, A. H., 34–35
Sotillo, I., 54–57
Spencer, J. M., 16–18
Stalder, J. F., 199–200 (c)
Stephan, M. J., 334–340
Stephens-Groff, S. M., 123–124
Stevens, A. W., 159–163
Stevens, P. D., 159–163
Stone, M. S., 85–87
Sybert, V. P., 334–340

Tadini, G., 26–28, 164–168, 298 (c)
Taïeb, A., 298–299 (c)
Tamayo, L., 136–138
Tamayo-Sanchez, L., 69–70, 252–255
Tedde, G., 132–135
Thieberg, M. D., 85–87
Toribio, J., 156–158
Tosti, A., 36–39
Triulzi, F., 164–168
Tsai, M. Y., 117–122
Tsavdari, T., 286–287
Tuerlings, J. H. A. M., 235–239

Ueda, M., 376–381
Uribe-Rea, C., 252–255

Vanaclocha, V., 149–152
Vanderhooft, S. L., 334–340
Vanderpool, D. R., 370–375
Vázquez-Doval, J., 149–152
Vega, V. K., 277–282
Vigo, P., 26–28
Virgili, A., 92 (c)

Wakamatsu, K., 205–208
Walsh, M., 256–258
Wananukul, S., 209–213
Weston, W. L., 195–197
Williams, M. L., 198 (c)
Wiss, K., 177–181
Woosley, J., 362–365

Xia, M.-Y., 392–393 (c)

Zamora, E., 169–170
Zampino, M. R., 92 (c)
Zax, R. H., 117–122
Zhu, W.-Y., 392–393 (c)
Zubieta, J. L., 149–152